

Walk on Air

Walk on Air

TUBE TREAD

Resilient
Durable
Hygienic
Hard-wearing



SUPA GRIPPA


Excellent Electrical and sound
insulating properties

Flame resistant

Chemical resistant and hygienic


Easily cut to shape

Impervious to Oils, Alkalis and Acids



VM20/20SD

TRUE SAFETY FLOORING AT A BUDGET PRICE, THIS 2MM RANGE IS AVAILABLE IN A WIDE CHOICE OF COLOURS AND IN CONTRAST STRIPS TO FACILITATE CREATIVE FLOOR DESIGNS. THE SD (STATIC DISSIPATIVE) VERSION HAS A RESISTANCE TO BUILD UP OF STATIC




AREAS OF USE

- CHANGING ROOMS
- CIRCULATION AREAS
- KITCHENS
- MEZZANINE
- RETIREMENT HOMES
- STAIRS MEDIUM TRAFFIC
- TOILETS
- WARD KITCHENS

D25

THE DESIGNER SAFETY FLOORING, 2.5MM THICK, WITH THE ADDITION OF COLOURED QUARTZ PARTICLES FOR ADDED WEAR RESISTANCE AND ATTRACTIVE APPEARANCE. AVAILABLE IN A WIDE RANGE OF SUPERB COLOUR WAYS.




AREAS OF USE

- AUTOPSY ROOMS
- BARS
- CHANGING ROOMS
- CHEMICAL PROCESSING
- DRINK PRODUCTION
- FOOD PREP
- LABORATORIES
- PUBLIC TRANSPORT

K30

A REALLY TOUGH THICK SAFETY FLOORING WITH QUARTZ PARTICLES TO PROVIDE EXTRA GRIP IN AREAS WITH CONSTANT SPILLAGE OF GREASE, WATER ECT. 3MM THICK, THIS IS THE PERFECT FLOOR FOR HEAVILY TRAFFICKED AREAS.




AREAS OF USE

- BAKERIES
- CHEMICAL PROCESSING
- DRINK PRODUCTION
- FOOD PRODUCTION
- HEAVY DUTY MEZZANINE
- HEAVY DUTY TROLLEY AREAS
- MEAT CUTTING ROOMS

T20

ESPECIALLY DESIGNED FOR BARE-FOOT SAFETY IN WET AREAS SUCH AS SWIMMING POOLS THIS 2MM SAFETY FLOORING HAS A DIMPLED SURFACE AS WELL AS MINERAL GRAINS THROUGHOUT THE THICKNESS. AVAILABLE IN A WIDE RANGE OF PASTEL AND



AREAS OF USE

- CHANGING ROOMS
- HOSPITALS
- HYDROTHERAPY POOLS
- JACUZZI POOLS
- POOL SURROUNDS
- SHOWERS

UTE - MAT



Helps prevent your load from shifting while it protects your Tray

Sizes to fit any Tray


Made from tough Natural Rubber

Allows air to circulate to prevent rust



RUBBER TIE DOWN

A
64.



PART NUMBER	LENGTH	MAX STRETCH
MTIE 009	228MM	330MM
MTIE 015	381MM	481MM
MTIE 022	559MM	750MM
MTIE 032	813MM	1000MM

FOR YOUR PROTECTION WE RECOMMEND THAT YOU DO NOT EXTEND RUBBER TIE DOWNS BEYOND LISTED STRETCH LIMITS.

CAR AND TRUCK FLOOR MATS

CODE : MCAR52-700/2 FRONT

Raised edges to eliminate dirt falling from sides.

Non slip under side

Fully washable

Ideal For


**4x4
Utes & Vans
Passenger cars
Tradespeople
Farmers
Contractors**




FRONT



REAR



ELECTRICAL SAFETY MATS



- DESIGNED FOR SWITCHBOARD PROTECTION, ELECTRICAL REPAIR WORKSHOPS AND PILOT ISOLATION CUBICLES.
- ALL MATS ARE TESTED IN ACCORDANCE WITH AUSTRALIAN STANDARD 2978-1997 (CLASS A AND B).
- AVAILABLE IN A RANGE OF FOUR POPULAR COLOURS
- STANDARD WIDTH : 900MM
- STANDARD LENGTHS : 900MM, 1200MM, 1500MM AND 2000MM
- THICKNESS : CLASS A = 6.0MM
CLASS B = 3.0MM
- SPECIAL DIMENSIONS TO SUIT YOUR APPLICATION, AVAILABLE UPON REQUEST
- ALL INDUSTRIAL RUBBER SAFETY MATS ARE MADE AND TESTED IN AUSTRALIA.

NATURAL RUBBER SHEETING

PRODUCT	THICKNESS MM	WIDTH MM	LENGTH	HARDNESS (SHORE A)	NOMINAL SPECIFIC	TENSILE STRENGTH	NOMINAL ELONGA-	MAX TEMP	GENERAL INFORMA-
NATURAL RUBBER	0.8	1200	10 METRES	60/70	1.58	5	300	70	GENERAL PURPOSE
NATURAL RUBBER	1.5	1200	10 METRES	60/70	1.27	5	300	70	GENERAL PURPOSE
NATURAL RUBBER	3	1200	10 METRES	60/70	1.27	5	300	70	GENERAL PURPOSE
NATURAL RUBBER	4.5	1200	10 METRES	60/70	1.27	5	300	70	GENERAL PURPOSE
NATURAL RUBBER	6	1200	10 METRES	60/70	1.27	5	300	70	GENERAL PURPOSE
NATURAL RUBBER	9.5	1200	10 METRES	60/70	1.33	5	300	70	GENERAL PURPOSE

FURTHER THICKNESSES ARE AVAILABLE

NATURAL RUBBER INSERTION

PRODUCT	THICKNESS MM	WIDTH MM	LENGTH	HARDNESS (SHORE A)	NOMINAL SPECIFIC	TENSILE STRENGTH	NOMINAL ELONGA-	MAX TEMP	GENERAL INFORMA-
NATURAL RUBBER	0.8	1200	10 METRES	58/68	1.27	6	300	70	GENERAL PURPOSE
NATURAL RUBBER	1.5	1200	10 METRES	58/68	1.27	6	300	70	GENERAL PURPOSE
NATURAL RUBBER	3	1200	10 METRES	58/68	1.27	6	300	70	GENERAL PURPOSE
NATURAL RUBBER	4.5	1200	10 METRES	58/68	1.27	6	300	70	GENERAL PURPOSE
NATURAL RUBBER	6	1200	10 METRES	58/68	1.27	6	300	70	GENERAL PURPOSE
NATURAL RUBBER	9.5	1200	10 METRES	58/68	1.27	6	300	70	GENERAL PURPOSE

FURTHER THICKNESSES ARE AVAILABLE

NEOPRENE RUBBER SHEETING

PRODUCT	THICKNESS MM	WIDTH MM	LENGTH	HARDNESS (SHORE A)	NOMINAL SPECIFIC	TENSILE STRENGTH	NOMINAL ELONGA-	MAX TEMP	GENERAL INFORMA-
NEOPRENE RUBBER	1.5	1200	10 METRES	65/75	1.55	6	300	90	SEE CHART FOR DETAILS
NEOPRENE RUBBER	3	1200	10 METRES	65/75	1.55	6	300	90	SEE CHART FOR DETAILS
NEOPRENE RUBBER	4.5	1200	10 METRES	65/75	1.55	6	300	90	SEE CHART FOR DETAILS
NEOPRENE RUBBER	6	1200	10 METRES	65/75	1.55	6	300	90	SEE CHART FOR DETAILS
NEOPRENE RUBBER	9.5	1200	10 METRES	65/75	1.44	4	300	90	SEE CHART FOR DETAILS

FURTHER THICKNESSES ARE AVAILABLE

NEOPRENE INSERTION RUBBER

PRODUCT	THICKNESS MM	WIDTH MM	LENGTH	HARDNESS (SHORE A)	NOMINAL SPECIFIC	TENSILE STRENGTH	NOMINAL ELONGA-	MAX TEMP	GENERAL INFORMA-
NEOPRENE INSERTION	1.5	1200	10 METRES	55/65	1.44	4	300	90	SEE CHART FOR
NEOPRENE INSERTION	3	1200	10 METRES	55/65	1.44	4	300	90	SEE CHART FOR
NEOPRENE INSERTION	4.5	1200	10 METRES	55/65	1.44	4	300	90	SEE CHART FOR
NEOPRENE INSERTION	6	1200	10 METRES	55/65	1.44	4	300	90	SEE CHART FOR

FURTHER THICKNESSES ARE AVAILABLE

NITRILE RUBBER SHEETING

PRODUCT	THICKNESS MM	WIDTH MM	LENGTH	HARDNESS (SHORE A)	NOMINAL SPECIFIC	TENSILE STRENGTH	NOMINAL ELONGA-	MAX TEMP	GENERAL INFORMA-
NITRILE RUBBER	1.5	1200	10 METRES	60/70	1.21	16	520	90	SEE CHART FOR DETAILS
NITRILE RUBBER	3	1200	10 METRES	60/70	1.21	16	520	90	SEE CHART FOR DETAILS
NITRILE RUBBER	4.5	1200	10 METRES	60/70	1.21	16	520	90	SEE CHART FOR DETAILS
NITRILE RUBBER	6	1200	10 METRES	60/70	1.21	16	520	90	SEE CHART FOR DETAILS

FURTHER THICKNESSES ARE AVAILABLE

E.P.D.M. RUBBER

PRODUCT	THICKNESS MM	WIDTH MM	LENGTH	HARDNESS (SHORE A)	NOMINAL SPECIFIC	TENSILE STRENGTH	NOMINAL ELONGA-	MAX TEMP	GENERAL INFORMA-
EPDM RUBBER	1.5	1200	10 METRES	60/70	1.20	7	600	110	SEE CHART FOR
EPDM RUBBER	3	1200	10 METRES	60/70	1.20	7	600	110	SEE CHART FOR
EPDM RUBBER	4.5	1200	10 METRES	60/70	1.20	7	600	110	SEE CHART FOR
EPDM RUBBER	6	1200	10 METRES	60/70	1.20	7	600	110	SEE CHART FOR

FURTHER THICKNESSES ARE AVAILABLE

SKIRTING RUBBER

PRODUCT	THICKNESS MM	WIDTH MM	LENGTH	HARDNESS (SHORE A)	NOMINAL SPECIFIC	TENSILE STRENGTH	NOMINAL ELONGA-	MAX TEMP	GENERAL INFORMA-
SKIRTING RUBBER	6	YOUR REQUIREMENT	31 METRE	40/50	1.18	10	500	70	CONVEYOR SKIRT
SKIRTING RUBBER	9	YOUR REQUIREMENT	31 METRE	40/50	1.18	10	500	70	CONVEYOR SKIRT
SKIRTING RUBBER	12	YOUR REQUIREMENT	31 METRE	40/50	1.18	10	500	70	CONVEYOR SKIRT
SKIRTING RUBBER	16	YOUR REQUIREMENT	31 METRE	40/50	1.18	10	500	70	CONVEYOR SKIRT
SKIRTING RUBBER	19	YOUR REQUIREMENT	31 METRE	40/50	1.18	10	500	70	CONVEYOR SKIRT
SKIRTING RUBBER	25	YOUR REQUIREMENT	31 METRE	40/50	1.18	10	500	70	CONVEYOR SKIRT

FURTHER THICKNESSES ARE AVAILABLE

CHUTEX LINING NATURAL RUBBER

PRODUCT	THICKNESS MM	WIDTH MM	LENGTH	HARDNESS (SHORE A)	NOMINAL SPECIFIC	TENSILE STRENGTH	NOMINAL ELONGA-	MAX TEMP	GENERAL INFORMA-
NATURAL RUBBER	3	1830	9 METRES	35/45	0.98	22	720	60	RESISTANT TO
NATURAL RUBBER	4.5	1830	9 METRES	35/45	0.98	22	720	60	RESISTANT TO
NATURAL RUBBER	6	1830	9 METRES	35/45	0.98	22	720	60	RESISTANT TO
NATURAL RUBBER	9	1200	8 METRES	35/45	0.98	22	720	60	RESISTANT TO
NATURAL RUBBER	12	1200	8 METRES	35/45	0.98	22	720	60	RESISTANT TO

FURTHER THICKNESSES ARE AVAILABLE

SILICONE RUBBER

PRODUCT	THICKNESS MM	WIDTH MM	LENGTH	HARDNESS (SHORE A)	NOMINAL SPECIFIC	TENSILE STRENGTH	NOMINAL ELONGA-	MAX TEMP	GENERAL INFORMA-
SILICONE RUBBER	1.5	1200	10 METRE	40/50		10	700	300	SEE CHART
SILICONE RUBBER	3	1200	10 METRE	40/50		10	700	300	SEE CHART
SILICONE RUBBER	6	1200	10 METRE	40/50		10	700	300	SEE CHART
SILICONE RUBBER	9	1200	10 METRE	40/50		10	700	300	SEE CHART

FURTHER THICKNESSES ARE AVAILABLE

VITON RUBBER

PRODUCT	THICKNESS MM	WIDTH MM	LENGTH	HARDNESS (SHORE A)	NOMINAL SPECIFIC	TENSILE STRENGTH	NOMINAL ELONGA-	MAX TEMP	GENERAL INFORMA-
VITON RUBBER	1	1200	CUT TO SIZE	65/75		20	300	325	SEE CHART
VITON RUBBER	1.5	1200	CUT TO SIZE	65/75		20	300	325	SEE CHART
VITON RUBBER	3	1200	CUT TO SIZE	65/75		20	300	325	SEE CHART
VITON RUBBER	6	1200	CUT TO SIZE	65/75		20	300	325	SEE CHART

FURTHER THICKNESSES ARE AVAILABLE

SBR RUBBER

PRODUCT	THICKNESS MM	WIDTH MM	LENGTH	HARDNESS (SHORE A)	NOMINAL SPECIFIC	TENSILE STRENGTH	NOMINAL ELONGA-	MAX TEMP	GENERAL INFORMA-
SBR (STYRENE)	.5	1200	10 METRE	55/65	1.13	18	450	70	SEE CHART
SBR (STYRENE)	1.5	1200	10 METRE	55/65	1.13	18	450	70	SEE CHART
SBR (STYRENE)	3	1200	10 METRE	55/65	1.13	18	450	70	SEE CHART
SBR (STYRENE)	4.5	1200	10 METRE	55/65	1.13	18	450	70	SEE CHART
SBR (STYRENE)	6	1200	10 METRE	55/65	1.13	18	450	70	SEE CHART
SBR (STYRENE)	9.5	1200	10 METRE	55/65	1.13	18	450	70	SEE CHART

FURTHER THICKNESSES ARE AVAILABLE

HYPALON RUBBER

PRODUCT	THICKNESS MM	WIDTH MM	LENGTH	HARDNESS (SHORE A)	NOMINAL SPECIFIC	TENSILE STRENGTH	NOMINAL ELONGA-	MAX TEMP	GENERAL INFORMA-
HYPALON RUBBER	1.5	915	1830	55/60	1.45	10	500	125	SEE CHART
HYPALON RUBBER	3	915	1830	55/60	1.45	10	500	125	SEE CHART
HYPALON RUBBER	6	915	1830	55/60	1.45	10	500	125	SEE CHART

FURTHER THICKNESSES ARE AVAILABLE

GUM RUBBER

PRODUCT	THICKNESS MM	WIDTH MM	LENGTH	HARDNESS (SHORE A)	NOMINAL SPECIFIC	TENSILE STRENGTH	NOMINAL ELONGA-	MAX TEMP	GENERAL INFORMA-
GUM RUBBER	0.8	1000	10 METRE	30/40	0.96	17	950	60	SEE CHART
GUM RUBBER	1.5	1000	10 METRE	30/40	0.96	17	950	60	SEE CHART
GUM RUBBER	3	1000	10 METRE	30/40	0.96	17	950	60	SEE CHART
GUM RUBBER	4.5	1000	10 METRE	30/40	0.96	17	950	60	SEE CHART
GUM RUBBER	6	1000	10 METRE	30/40	0.96	17	950	60	SEE CHART

FURTHER THICKNESSES ARE AVAILABLE

WHITE HYGIENIC NATURAL RUBBER

PRODUCT	THICKNESS MM	WIDTH MM	LENGTH	HARDNESS (SHORE A)	NOMINAL SPECIFIC	TENSILE STRENGTH	NOMINAL ELONGA-	MAX TEMP	GENERAL INFORMA-
NATURAL RUBBER	1.5	1200	10 METRES	45/55	1.38	12.5	670	70	FOOD GRADE
NATURAL RUBBER	3	1200	10 METRES	45/55	1.38	12.5	670	70	FOOD GRADE
NATURAL RUBBER	6	1200	10 METRES	45/55	1.38	12.5	670	70	FOOD GRADE
NATURAL RUBBER	9	1200	10 METRES	45/55	1.38	12.5	670	70	FOOD GRADE
NATURAL RUBBER	12	1200	10 METRES	45/55	1.38	12.5	670	70	FOOD GRADE


FURTHER THICKNESSES ARE AVAILABLE

HORSE FLOAT MATTING RUBBER

PRODUCT	THICKNESS MM	WIDTH MM	LENGTH	HARDNESS (SHORE A)	NOMINAL SPECIFIC	TENSILE STRENGTH	NOMINAL ELONGA-	MAX TEMP	GENERAL INFORMA-
HORSE FLOAT	9	1830	915						USED IN HORSE
HORSE FLOAT	9	1830	1220						USED IN HORSE
HORSE FLOAT	9	2440	1220						USED IN HORSE

RIBBED RUBBER SHEETING

- 3 MM RIBBED RUBBER 1000 MM WIDE X 10 METRE ROLL
- 3 MM RIBBED RUBBER 1200 MM WIDE X 10 METRE ROLL
- 3 MM RIBBED RUBBER 1500 MM WIDE X 10 METRE ROLL
- 3 MM RIBBED RUBBER 2000 MM WIDE X 10 METRE ROLL



SIZE AVAILABLE :

1 LT PAIL

4 LT PAIL

20 LT PAIL

200 LT PAIL

